



LAWRENCE
LIVERMORE
NATIONAL
LABORATORY

Corrigendum: Probability- based Methods for Quantifying Nonlinearity in the ENSO

A. Hannachi, D. B. Stephenson, K. R. Sperber

October 8, 2003

Climate Dynamics

Disclaimer

This document was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor the University of California nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the University of California, and shall not be used for advertising or product endorsement purposes.

Corrigendum:
Probability-based Methods for Quantifying Nonlinearity in the ENSO

A. Hannachi¹, D. B. Stephenson¹, and K. R. Sperber²

¹Department of Meteorology, University of Reading
Earley Gate PO Box 243
Reading RG6 6BB, UK

²Program for Climate Model Diagnosis and Intercomparison
Lawrence Livermore National Laboratory
P.O. Box 808, L-103
Livermore, CA 94550, USA

Climate Dynamics

Corresponding author:

A. Hannachi

Department of Meteorology

University of Reading

Earley Gate PO Box 243

Reading RG6 6BB, UK

Email: A.Hannachi@reading.ac.uk

In Fig. 14 on page 253 of Hannachi et al. (2003), the quantiles of the standardised observed Nino-3 index versus the quantiles of the standard normal are incorrect. The corrected plot is shown in Fig. 1 below. The discussion of Fig. 14 of Hannachi et al. (2003) is valid but applies now to Fig. 1 of this corrigendum.

Acknowledgements This work was funded by the UK University Global Atmospheric Modelling Programme (UGAMP). K. R. Sperber was supported by the University of California Lawrence Livermore National Laboratory under contract W-7405-ENG-48.

Reference

Hannachi A, Stephenson DB, and Sperber KR (2003) Probability-based methods for quantifying nonlinearity in the ENSO. *Clim Dyn* 20: 241-256

Figure Caption

Figure 1. The quantiles of the standardised Nino-3 indices from 24 ENSIP coupled models versus the quantiles of the standard normal (bold). The dotted line is for the standardised observed Nino-3 index. The curve expected from the normal distribution is shown by the first diagonal

